	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	1/9

* MSDS Registration No. : AA01312-0000000073

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1) Product identifier: D-SOL 280K
- 2) Relevant identified uses of the substance or mixture and uses advised against:
 - Relevant identified uses: Cleaning and cleaning agents, anti-corrosion agents, heat transfer agents, lubricants and additives
 - Uses advised against: No data available
- 3) Manufacture/Supplier/Distributor information:
 - Manufacture information:

Company name: ISU CHEMICAL CO., LTD

Address: 8, Seokdang-gil, Onsan-eup, Ulju-gun, Ulsan, Korea


Emergency telephone number: Tel. +82 52 231 5587 Fax. +82 52 231 5699

2. HAZARD IDENTIFICATION

- 1) Hazard classification: Aspiration hazard: Cat.1
- 2) Allocation label elements including precautionary statements
 - Hazard pictograms
 - Signal word
 - Danger
 - Hazard statements
 - H304: May be fatal if swallowed and enters airways.
 - Precautionary statements
 - Response
 - P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 - P331: Do not induce vomiting.
 - Storage
 - P405: Store locked up.
 - Disposal
 - P501: Dispose of contents/container according to the relevant laws and regulations.
- 3) Other hazards:
 - NFPA Grade: Health 1, Flammability 0, Reactivity 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	Common name	CAS No.	Concentration (wt%)
Distillates (petroleum), hydrotreated light	Hydrotreated kerosene,	CAS No. 64742-55-8 EC No. 265-158-7	100


	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	2/9

* MSDS Registration No. : AA01312-0000000073

paraffinic	Distillate fuel oils, light		
------------	--------------------------------	--	--

4. FIRST AID MEASURES

- 1) Following eye contact:
 - Flush eyes gently with water for at least 15 minutes while holding eyelids apart
 - Seek medical attention without delay; if pain persists or recurs seek medical attention.
 - If symptoms develop, immediately move individual away from exposure and into fresh air.
 - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
- 2) Following skin contact:
 - Immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes.
 - In case of burns, immediately cool affected skin for as long as possible with cold water.
 - Seek medical attention in event of irritation.
- 3) Following inhalation:
 - Remove from exposure to fresh air immediately.
 - Lay patient down. Keep warm and rested.
 - If not breathing, give artificial respiration.
 - If breathing is difficult, give oxygen.
 - Perform CPR if necessary.
 - Get medical attention immediately.
- 4) Following ingestion:
 - If swallowed do NOT induce vomiting.
 - If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
 - Observe the patient carefully.
 - Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
 - Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
 - Possible aspiration hazard.
 - Get medical aid immediately
- 5) Advice to physician:
 - Any material aspirated during vomiting may produce lung injury. Therefore emesis should not be induced mechanically or pharmacologically. Mechanical means should be used if it is considered necessary to evacuate the stomach contents; these include gastric lavage after endotracheal intubation. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed up to 48 hours.

	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	3/9


* MSDS Registration No. : AA01312-0000000073

5. FIRE FIGHTING MEASURES

- 1) Suitable (and unsuitable) extinguishing media:
 - Small fires: dry chemical, carbon dioxide, alcohol-resistant foam.
 - Large fires: dry chemical, carbon dioxide, alcohol-resistant foam, water spray.
- 2) Special hazards arising from the substance or mixture:
 - Liquid and vapour are flammable.
 - Vapour forms an explosive mixture with air.
 - Heating may cause expansion or decomposition leading to violent rupture of containers.
 - Combustion products include: carbon monoxide (CO), carbon dioxide (CO₂), other pyrolysis products typical of burning organic material.
- 3) Special protective equipment for firefighters:
 - Wear a self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.
 - Prevent, by any means available, spillage from entering drains or water course.
 - If safe, switch off electrical equipment until vapour fire hazard removed.
 - DO NOT approach containers suspected to be hot.
 - Cool fire exposed containers with water spray from a protected location.
 - If safe to do so, remove containers from path of fire.

6. ACCIDENTAL RELEASE MEASURES

- 1) Health considerations and protective equipment:
 - Avoid breathing vapours and contact with skin and eyes.
 - Control personal contact by using protective equipment.
 - Alert Fire Brigade and tell them location and nature of hazard.
 - Wear breathing apparatus plus protective gloves.
 - No smoking, naked lights or ignition sources.
 - Increase ventilation.
 - Use a spark-proof tool.
- 2) Environmental precautions:
 - Spillage from entering drains or water course.
 - If contamination of drains or waterways occurs, advise emergency services.
- 3) For cleaning up:
 - Clean up all spills immediately.
 - Contain and absorb spill with inert material (e.g. vermiculite, sand or earth)
 - Collect residues in a flammable waste container.
 - Water spray or fog may be used to disperse /absorb vapour.
 - Collect recoverable product into labelled containers for recycling.

	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	4/9

* MSDS Registration No. : AA01312-0000000073

- Collect solid residues and seal in labelled drums for disposal.
- Dike far ahead of liquid spill for later disposal.

7. HANDLING AND STORAGE


- 1) Precautions for safe handling:
 - Avoid working in spray mist.
 - When using do not eat, drink or smoke.
 - Always wash hands with soap and water after handling.
 - DO NOT allow clothing wet with material to stay in contact with skin.
 - Avoid contact with eyes, skin, and clothing.
 - Containers, even those that have been emptied, may contain explosive vapours.
 - Keep container tightly closed.
 - Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. .
 - Use spark-free tools when handling.
- 2) Conditions for safe storage (including any incompatibilities):
 - Keep away from sources of ignition and strong oxidising agents and acids.
 - Store in a cool, dry, well-ventilated area away from incompatible substances.
 - Store in original containers in approved flammable liquid storage area.
 - Store in a tightly closed container.
 - Store according to applicable regulations for flammable materials for storage tanks, containers, piping, buildings, rooms, cabinets, allowable quantities and minimum storage distances.
 - Have appropriate extinguishing capability in storage area and flammable gas detectors.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

- 1) Chemical exposure limits, Biological exposure standard:

Components	Occupational exposure limits (Domestic)	ACGIH	Biological limit values
Distillates (petroleum), hydrotreated light paraffinic	No data available	No data available	No data available

- 2) Appropriate engineering controls:
 - Local exhaust ventilation or a process enclosure ventilation system may be required.
 - Ventilation equipment should be explosion-resistant.
 - Where exposure may occur, engineering controls, rather than the provision of Personal Protective Equipment (PPE) should be employed..
- 3) Personal protection equipment:


	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	5/9

* MSDS Registration No. : AA01312-0000000073

- Respiratory protection:
 - Wear respiratory protection which is appropriate to exposed gas/liquid physical and chemical properties authenticated by Korea Occupational Safety & Health Agency.
 - Wear half-face respirator supplied with appropriate filters or cartridge(s) when exposure concentration is lower than 2000mg/m³.
 - Wear loose-fitting hood/helmet style electromotive respirator or continuous-flow dustproof mask supplied with appropriate filters or cartridge(s) when exposure concentration is lower than 5000mg/m³
 - Wear full-face or electromotive half-face or air continuous-flow/pressure-demand half-face respirator supplied with appropriate filters or cartridge(s) – when exposure concentration is lower than 10000mg/m³.
 - Wear full-face or helmet/hood type or demanded-pressure breathing respirator supplied with appropriate filters or cartridge(s) when exposure concentration is lower than 200000mg/m³.
 - Wear self-contained breathing apparatus(SCBA) or pressure-demanded self-contained breathing apparatus(SCBA) respiratory protection supplied with appropriate filters or cartridge(s) when exposure concentration is lower than 2000000mg/m³..
- Eye protection:
 - Use chemical splash goggles and face shield.
 - Some plastic personal protective equipment (PPE) are not recommended as they may produce static electricity.
 - Provide emergency showers and eyewash near work place.
- Hand protection:
 - Wear suitable protective gloves.
- Body protection:
 - Wear suitable protective clothing.
 - PVC protective suit may be required if exposure severe.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 1) Appearance(Physical state, color, etc): Colorless liquid
- 2) Odor: Diesel odor
- 3) Odor threshold: No data available
- 4) pH: No data available
- 5) Melting point/freezing point: -40 ~ 6℃
- 6) Initial boiling point and boiling range: 277 ~ 294℃
- 7) Flash point: 137℃
- 8) Evaporation rate: No data available
- 9) Flammability(solid, gas): Not applicable

	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	6/9

* MSDS Registration No. : AA01312-0000000073


- 10) Upper/lower flammability or explosive limits: No data available
- 11) Vapour pressure: 0.4 kPa at 40℃
- 12) Solubility(ies): 0.001 ~ 0.13 mg/L in water
- 13) Vapour density: No data available
- 14) Relative density: 0.8092 @ 15/40℃
- 15) n-octanol/water partition coefficient: 1.99 ~ 18.02 at 20℃
- 16) Auto ignition temperature: >= 225 ℃
- 17) Decomposition temperature: No data available
- 18) Viscosity: 3.58 cSt at 40℃
- 19) Molecular weight(mass): No data available

10. STABILITY AND REACTIVITY

- 1) Stability and hazardous reactivity:
 - Stable under normal temperatures and pressures.
 - Product is considered stable.
 - Hazardous polymerisation will not occur.
- 2) Conditions to avoid:
 - All ignition sources (heat, sparks or flames)
- 3) Incompatible materials:
 - Avoid reaction with oxidising agents.
- 4) Hazardous decomposition products:
 - Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

- 1) Exposure route information
 - ☐ The substance can be absorbed into the body by inhalation of its vapour and by ingestion.
- 2) Health hazard information
 - ☐ Acute toxicity:
 - Oral: LD50 > 5,000 mg/kg (Rat, OECD TG 401, GLP)
 - Eye/Skin: LD50 > 5,000 mg/kg (Rabbit, OECD TG 402, GLP)
 - Inhalation (gas): No data available
 - Inhalation (vapour): LC50>5mg/L (Rat, 4H, OECD TG 403, GLP)
 - Inhalation (mist): No data available
 - ☐ Skin corrosion/Irritation: (Cat. 2)
 - Non-irritating (Rabbit, OECD TG 404, GLP)
 - ☐ Serious eye damage/irritation:
 - Non-irritating (Rabbit, OECD TG 405, GLP)
 - ☐ Respiratory sensitization:

	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	7/9

* MSDS Registration No. : AA01312-0000000073


- Not sensitizing (Guinea pig)
- Skin sensitization:
 - Not sensitizing (Guinea pig, OECD TG 406, GLP)
- Carcinogenicity:
 - Not classified (Mouse, Similar to OECE TG451)
- Germ cell mutagenicity:
 - In vitro - (Similar to OECD TG 473): Negative
 - OECD Guideline 471 (Bacterial Reverse Mutation Assay): Negative
 - In vivo - (OECD TG 474): Negative
- Reproductive toxicity:
 - At rat inhalation test, There was no evidence of any adverse compound effect on the dams, nor was there evidence of compound-induced terata, variation in sex ratio, embryotoxicity or inhibition of foetal growth and development.
 - Teratogenic test (NOAEL = 1000 mg/kg/day, OECD TG 414)
 - Reproductive Toxicity (NOAEL = 1000 mg/kg/day, OECD TG 416)
- Specific target organ toxicity (single exposure):
 - Not classified.
- Specific target organ toxicity (repeated exposure):
 - Not classified.
- Aspiration hazard: (Cat. 1)
 - Kinematic viscosity: about 3.58 cSt (centistokes)

12. ECOLOGICAL INFORMATION

- 1) Aquatic toxicity:
 - Fish : fathead minnow, LL50(96hr) > 100 mg/L, NOEL(96hr) ≥ 100 mg/L
 - Water fleas: Daphnia magna, EL50(48hr): > 10,000 mg/L, NOEL ≥ 10,000 mg/L
 - Alga: Pseudokirchneriella subcapitata, NOEL ≥ 100mg/L
- 2) Persistence and degradation:
 - Not readily biodegradable
 - Log Kow= 1.99 ~ 18.02
- 1) Bioaccumulative potential: 0.4~6,280 L/kg
- 2) Mobility in soil: No data
- 3) Other adverse effects: No data

13. DISPOSAL CONSIDERATIONS

- 1) Disposal methods:
 - Incinerate separated oil from oil and water, and treat the remaining water after separating at the water pollution control facilities.
 - Incinerate or stabilize residue treated by evaporation•concentration.

	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	8/9

* MSDS Registration No. : AA01312-0000000073

- Incinerate residue treated by agglomeration•precipitation.
 - Refine by Separation•distillation•extraction•filtration•pyrolysis.
 - Incinerate or stabilize residue..
- 2) Precautions (including disposal of contaminated container of package):
- Dispose of contents/container according to the relevant laws and regulations.


14. TRANSPORT INFORMATION

- 1) UN No.: Not applicable
- 2) Proper shipping name: Not applicable
- 3) Class or division: Not applicable
- 4) Packing group: Not applicable
- 5) Marine pollutant: Not applicable
- 6) Special safety response for transportation or transportation measure: Not applicable

15. REGULATORY INFORMATION

- 1) Occupational Safety and Health Act in Korea: Not applicable
- 2) Chemicals Control Act in Korea: Not applicable
- 3) Safety Control of Dangerous Substances Act in Korea: Class 4 Third Petroleum liquids
- 4) Wastes Control Act in Korea: Designated waste
- 5) Other regulations in KOREA and Abroad regulations:
 - Other regulation (Domestic):
 - Persistent Organic Pollutants (POPs) Control Act: Not applicable
 - National regulations:
 - U.S.A. management information(OSHA regulation): Not applicable
 - U.S.A. management information(CERCLA regulation): Not applicable
 - U.S.A. management information(EPCRA 302 regulation): Not applicable
 - U.S.A. management information(EPCRA 304 regulation): Not applicable
 - U.S.A. management information(EPCRA 313 regulation): Not applicable
 - U.S.A. management information(Rotterdam Convention on Substances): Not applicable
 - U.S.A. management information(Stockholm Convention on Substances): Not applicable
 - U.S.A. management information(Montreal Protocol on Substances): Not applicable
 - EU Classification (Classification): Asp. Cat. 1; R65
 - EU Classification (Risk Phrases): R65
 - EU Classification (Safety Phrases): S2, S23, S24, S62

16. OTHER INFORMATION

	Material Safety Data Sheet (MSDS)	Rev.No		9	
	D-SOL 280K	DATE	2022.02.24	PAGE	9/9

* MSDS Registration No. : AA01312-0000000073

1) Reference:

- Korea Occupational Safety & Health Agency MSDS
- ChemWATCH
- IUCLID
- ECOTOX
- NITE
- Recommendations on the transport of dangerous goods
- NCIS
- Emergency response guide book
- The Chemical Database
- ICSC
- RTECS
- ESIS
- HPVIS
- ECHA [CHEM](#)

2) Print date: 1996. 06. 28

3) Number of revised/Date of last revision: 9 / 2022. 02. 24

4) Other: No data available